



## DUO Wall Sconce - WHITE or RGB LED light

During the day, the LT DUO wall sconce is a decorative fixture.

At night, it is illuminated with 600 LED lights.

There are several ways to enjoy the fixture and create the desired ambiance:

The LT DUO can be set to automatically change the intensity of the lighted frames by simply using the infrared remote control.

The 2 frames can be turned on with the remote either simultaneously or separately, the remote changes the intensity from minimum light to 100% depending on the light you wish to have. In addition there is a lighting program where the light comes on the  $1^{st}$  frame then reduces to transition to the  $2^{nd}$ . At the same time, it is also possible to modify the intensity of the light on each frame and the speed at which the light transitions from the  $1^{st}$  frame to the  $2^{nd}$  frame.




For the same output, the LT TRIO saves 75% energy compared to a standard lighting fixture.

Weight: 18.5 lbs / 8.4 kg Height: 59-7/8" / 152 cm Width: 26-1/2" / 67 cm Frame: Black or white color

Power supply 120V.

UL Listed transformer included. Energy consumption: 100 W maxi.



Class LED - /W/-	- 20001/* -		01/
Clear LFDs (Warr	ท ⊀บบบห ™ กr	neutrai 400	I IK I

White, subtle and minimalist (warm or neutral white)

Lighting output: 4800 Lumens

• White + RGB color LEDs, versatile with colors

Lighting output: 1900 Lumens

Project Information Job Name:	Date:	_ Type of Finish/Shade:
Comments:		
Approved:		





## DUO Wall Sconce - WHITE or RGB LED light

## Models available:

Model	Frame Color	LED Color	Size	Watts (consumption)	Lumens (output)
DUO-W-3000k-120V-BF	Black	Warm white	59-7/8 X 26-1/2	75	0-4800
DUO-W-3000k-120V-WF	White	Warm white	59-7/8 X 26-1/2	75	0-4800
DUO-W-4000k-120V-BF	Black	Neutral white	59-7/8 X 26-1/2	75	0-4800
DUO-W-4000k-120V-WF	White	Neutral white	59-7/8 X 26-1/2	75	0-4800
DUO-RGB-1220V-BF	Black	White + RGB	59-7/8 X 26-1/2	75	0-1900
DUO-RGB-1220V-WF	White	White + RGB	59-7/8 X 26-1/2	75	0-1900

UL Listed transformer included.



## **UL Recognized Component Mark**



These are Marks consumers rarely see because they are specifically used on component parts that are part of a larger product or system. These components may have restrictions on their performance or may be incomplete in construction. The component recognition marking is found on a wide range of products, including some switches, power supplies, printed wiring boards, some kinds of industrial control equipment and thousands of other products.

Just as with the UL Listing and Classified Marks, there are three variations of UL's Recognized Component Mark: one for the United States only, one for Canada only and one for both the United States and Canada. The C-UR Mark is applied to components only used in the Canadian market. Components with this type of Mark have been evaluated to Canadian standards. The optional C-UL-US Component Recognition Mark indicates compliance with both Canadian and U.S. requirements.

Choosing the LT DUO reduce the energy consumption of your home.

CINIER LT DUO LED products combine a high quality LED to a unique lighting design.

Project Information Job Name:	_ Date:	_ Type of Finish/Shade:
Comments:		
Approved:		

Remote co	ntrol in	cluded.
Red Green Blue White	Cyan Magenta Yellow Amber	Auto Unit Setting Brightness
Printing Convorting Co		LED centre Controller